


The diagram above may not look like a "4-leaf clover" but that is what this design in pruning apple trees is called at The Pennsylvania State University Agricultural Experiment Station. Trees trained to this system can be pruned more rapidly than conventional trees, says L. D. Tukey and C. W. Hitz, research orchardists. The openings between the "leaves of the clover" also are a great convenience in spraying and harvesting. Trees trained to this system have a large surface exposed to the sunlight which makes for more fruit of higher color and quality. So far, no reduction in yield has been noted because of this type of pruning, and yields this past year from "4-leaf clover trees" were a little higher than from comparable trees conventionally



Successful poultrymen look for OVER-ALL income when buying a particular laying hen. No single profit characteristic . . . livability, egg size or egg quality . . . is the sole reason for their

"BALANCED BREEDING" makes H&N "Nick Chick" Leghorns the most profitable birds you can buy today. All profit characteristics are carefully weighed and balanced to produce a laying hen of highest over-all performance.

To order this superior, profit-making bird write FLORIN FARMS TODAY . . : or call us at Mt. Joy OLdfield 3-9891.

Also 10 to 20 week old started Pullets available

FORMS INC.

MT. JOY, PA. RFD #1 Phone: OLdfield 3-9891

Ready to Serve You Now

ROHRER'S QUALITY SEEDS

FOR

FARM - GARDEN - LAWN

Clovers - Alfalfas - Grasses - Certified Seed Oats Cert. Maine Grown Seed Potatoes - Pasture Mixture Birds Foot Trefoil - DeKalb Corn Sorghum - DeKalb Chix

We carry a complete line of spray materials for

ORCHARDS - FIELD CROPS - GARDENS

CONTACT US FOR MORE INFORMATION

Store Hours Mon thru Fri 7 am - 6 pm Saturday to 5 pm

P. L. ROHRER & BRO., INC.

SMOKETOWN

Ph. Lanc. EX 2-2659

POULTRY GROUP (Continued from page 1)

dominate the holiday supply.

On January 1 there were 14 per cent more heavy be lower than last year for breeder hens than a year important poultry. earlier in the North Central States. Also, current prices for heavy toms are substantially high- again purchase turkeys. Last er than a year ago. Both factors indicate that the expansion in heavy breed production may be greater than indicated in producers' January intentions.

holdings at the beginning of 17c. This is three cents to bundant chick sup the heavy marketing season four cents below the same the second and will be no larger-and pos- quarter of 1958. Market sup- ters. Chick prices sibly somewhat smaller than a year ago. February 1 pected to be nearly 15 per higher broiler fem storage stocks were 11 per cent greater than a year ago. are expected. Total cent less than the 1958 rec- July through September tion costs will be cent less than the 1958 record for that date.

The holiday demand situa- the same as during tion for turkeys is uncertain. - June quarter. This There will be more people May-July placeme and increased purchasing average 38 million power. However, prices will competing red meats and

Also, it is not known whether the government will year, the government purchased two per cent of the total production.

BROILERS

for April through June will It appears that storage average between 16c and dicate a continual plies for the quarter are ex- lower than a year

prices are likely to be about same.

weekly in the 22 states. The rate wo per cent greater the ago.

Demand for bi ually increases seas reach a summer p normally results in ing prices. Continue sion in broiler means that little of U. S. farm broiler prices upswing can be

Breeder hens ava



For beauty, dignity & warmth, use Holland Sto

Fowl Leukosis Complex In Broilers

Recently the incidence of this disease in our area has ag been on the increase. It has been observed both on the and in processing plants.

- 1. With leukosis, the symptoms and some losses usually start about weeks of age and losses are still climbing until the birds are sold. Rarah birds may show up first. Later tumors (visceral lymphomatosis) are found different parts of the body.
- 2. There are no specific treatment or preventive measures that we recommend at this time.
- 3. During the past winter many of you have found it necessary to and reuse old litter. In many instances this never had a chance to dry Since the virus of visceral lymphomatosis is passed in the droppings as as in the saliva of the chicks, we have probably compounded the amount infection in many of our broiler houses by not cleaning them after each
- 4. Until we have some method of prevention or treatment about the recommendation that we can make is "practice more sanitation" especially ing the first 4 weeks.

Whenever broiler growers "let down" on the practice of sanitation s disease trouble is sure to start.

We believe the report of increased incidence of fowl leukosis complete broiler flocks should convince every broiler grower of the soundness of a pletely cleaning out old litter, dusting the house, disinfecting, carefully ing all fountains and using new litter in each batch of broilers.

Prevention of leukosis by this procedure will be your ONLY RECOU and we surely want to do everything possible to avoid this serious trouble

	SOME I	RECENT RES	SULTS!	
	NO.	AGE	WEIGHT	CONVERS
CAPETTES	3000	14.2	7.30 lb.	3.12
	1100	14.1	7.01 lb.	3.00
BROILERS	3000	9.4	4.49 lb.	2.45
	5000	9.2	3.51 1ь.`	2.34
	4500 -	10.0	4.03 lb.	2.51
	3500	10.0	3.75 lb.	2.43

For THE FINEST POULTRY SERVICE ANYWHERE contact y Miller & Bushong Service Representative or call us direct Lancaster EXpress 2-2145.



Miller & Bushong, III

Rohrerstown, Pa. Ph. Lancaster EX 2-2145

Manufacturers of Poultry and Live Stock Feed Since 1875