

eal for Hemical F	EED IN:			Ŏ	dations Will Trim Your Feed Cost, Improve Production — Increase Gains & Profit!
Iron Removal		CHEMICAL FEED	ER FOR WATER	ĮĮŽ	P.S.U. Test No. 1268 11/17/64 C. A. Keener
Sulphur Elimination Water Disinfection Algae & Silme Control		PURIFICATION & TREATMENT		Ň	C. A. Reener Corn Silage — Plus Silo Guard (As fed) — Protein 4% - T.D.N. 32% — Moisture 54%.
Acid Water Cou Swim Pool Tree Sewage Trea tme	atment	DESIGNED With pumping cycle and feed	BUILT With the precision and high	10	P.S.U. Test No. 2597 5/17/65 M. Norman Kurtz Corn Silage — Plus Silo Guard (As fed) — Protein 3.4% — T.D.N. 31% — Moisture 56%
Feed to Boilers and Cooling Towers.		rate best suited for independent • water supply systems	quality necessary in equipment for use in health protection		P.S.U. Test No. 2538 9/2/65 Boll Bros.
		To use full strength chlorine solutions without dilution; no clogging or messy mixing.	For freedom from service accurate feed adjustment.		Alfalfa Haylage — Plus Silo Guard (As fed) — Protein 13% — T.D.N. 40% — Moisture 33%
Homes M	Dairies Actels Jubs	For quick, sure starts under full load; service cycle on-off, or con- tinuous duty	With heavy duty motor, drive, and needle bearings, all sealed in oil for wear-proof, long life.		DON'T DELAY! Bale your hay sooner and safer with ISF Hay Guard.
Restaurants In Hotels In	nns ndustry	For easy priming, freedom from	, 100% bench tested for rehable performance. Full year guarantee.	000	Grubb Supply Co. Musser Feed Store J. J. Hoober White Oak Mill
BRUBAKER PLUMBING & HEATING BRUPURE 1284 ROHRERSTOWN ROAD LANCASTER. PENNSYLVANIA Phone 393-3908 Visit Our Display at the Lampeter Fair)))))))))))))))))))	Leroy Geib Est. Lancaster County Representative CLAIR CASSEL — 665-4510 P. O. Box 173 — Manheim, Pa.