


Monsanto LASSO

Pre-Emergent Corn & Soybean Herbicide

**Incorporates itself
with
Minimum Rainfall**



Apply new Lasso — either in granules or liquid — and you're done. Lasso needs no soil incorporation; just 1/3 - 2/3 inches of rain will turn on Lasso's excellent grass control for your corn and soybeans.

WHAT MAKES PRE-EMERGENT LASSO THE SUPERIOR CORN & SOYBEAN HERBICIDE? LOTS OF THINGS . . .

Crop safety. New Lasso has been tested and tested. The results were always the same. No damage to feeder roots of corn and soybeans. Lasso doesn't cut yields — it increases them.

Killing power. Lasso gives excellent control of grasses and some broadleaf weeds.

No carryover. When Lasso's done working, it breaks down harmlessly in the soil. So it can't damage following crops, or ruin rotation plans.

No incorporation necessary with Lasso, thus reducing the number of trips over the field and soil compaction.

Minimum moisture is needed to put Lasso to work.

Lasso works well on a wide range of soil types.

That's why Lasso's best. Better get the best now at:

Lancaster Bone Fertilizer Co., Inc.

Quarryville, Pa.
786-7348

Oxford, Pa.
215-932-8323

DEKALB PROFIT PULLET REPORT



IRVIN MUSSER

Mt. Joy, R. D. 1

- Flock Size — 8,800
- Age of Birds — 76 Weeks
- 261 Eggs Laid
- 3.9 Lb. Feed Per Dozen Eggs
- Livability — 86.5%
- Grade A — 95%
- Feed Cost Per Dozen — 13c

For Your Quality DeKalb Pullets See

— Sales Representative —

THOMAS MUMMA

Ph. 367-2683

MELHORN HATCHERY

40 Donegal Springs Road, Mount Joy, Pa.
Phone 653-1102



**DEKALB
Profit Pullets**

Plenty Of Birds For Spring Gobbler Season

Pennsylvania Game Commission field surveys show that the turkey population throughout the state is adequate and that there will be plenty of birds available for the spring gobbler season May 3-10.

Reproduction was slightly lower last year in some areas of the north part of the state, but this should not have had effect on the availability of gobblers this spring. The spring season is designed so that hunting shall be by calling only, and most birds which respond to calling are gobblers at least two years old.

There is no scarcity of birds anywhere they are normally found, according to field surveys, but the northern counties, which are prime turkey range, still show the largest number of the wary birds.

Whereas in most hunting seasons harvests increase or decrease according to hunter pressure, sportsmen will find that the opposite is true in spring gobbler seasons. In other states surveyed, hunter success and oftentimes even total harvest drop as hunter turnout increases.

During Pennsylvania's first spring gobbler season in 1968 many hunters simply drove along roads in turkey territory, stopping occasionally to call, until a gobbler answered. This worked well last year, but chances are the method may not be nearly as successful in 1969.

The turnout of hunters in 1968 was relatively small, but the interest and enthusiasm generated by the experimental season is expected to produce considerably more gobbler hunters this year. A gobbler hearing a number of hunters calling will simply slip away

Therefore, it will be more important this year for sportsmen to get away from the "crowd" and back into remote areas where there are gobblers but not hunters. This will increase chances considerably.

Learning to use hand and mouth callers well is important, but sometimes inexperienced callers make mistakes, causing attempts by others who place too much emphasis on perfection in calling. A sour note may frighten off a gobbler, but not always. Turkeys themselves occasionally produce weird noises while communicating, and an amorous tom in the springtime isn't always as particular about the quality of the sound as some hunters may think. So, give it a try.


Sportsmen should be aware of the "breast sponge" often found in gobblers in the spring. Toms develop swollen necks during the mating season, similar to bucks during the fall rut. This is a normal growth and is simply a layer of gelatinous fat that forms underneath the breast skin to serve as a nutritional reserve. This does not harm the bird in any way, but should be removed before cooking. Last year some hunters thought the growth was an indication of disease or infection, and discarded perfectly normal, healthy birds.

Good hunter deportment was reported last year, and helped make the 1969 season possible. There were only two minor hunting accidents, and most rules and regulations in effect for the experimental season were carefully observed. It is hoped that hunters will again conduct themselves as sportsmen so that future seasons will be assured.

These 5 Exclusive Features Found Only On

"The Genuine Mechanical Transplanter"

"The Transplanter with the features the farmer wants and buys"



- New Amazing "Flo-Check" Water Valve (Patented) with Magic Air Control to assure uniform water supply to the plants regardless of water level in barrel.
- New Manual Shutoff with Automatic Roller Reset on Valve.
- Positive Action, Self-Cleaning, Neoprene Plant Grippers.
- Bronze Oilite Main Bearings
- Large Adjustable Plant Trays.



Sold and Serviced By

LESTER A. SINGER

Ronks, Pa.

Phone Strasburg 687-6712