Ag leaders discuss drought aid

ficials of the Agriculture Department recently met with the leadership of legislative committees on Agriculture and Rural Affairs, and with representatives of the state's major farm organizations. These meetings were held to discuss possibilities for state action to provide assistance to farmers affected by the drought.

Pennsylvania Manv farmers have suffered substantial economic losses due to the severe lack of ramfall.

"Many more face continued losses into the 1981 crop year. We are actively pursuing methods at the state level to assist Pennsylvania farmers who have suffered these losses," Secretary of Agriculture Penrose Hallowell said.

"In many ways, farmers face critical cash flow problems due to the seasonal and timely nature of farming operations. Farmers who lose crops due to this summer's drought may need assistance by next year's planting time, to prevent being forced out to business," Hallowell said.

He noted the meetings had been important in that the

Sheila's Shorts

(Continued from Page D16) Stoltzfus, R.D. Bird-Inmethod for harnessing the Hand, PA 17505 and explained that Stoltzfus had the you may want to contact a local dealership. His Berks County business. business is located north of Mascot along Rt. 772. Since Mehrkam he is Amish, he has no Development Co., R2 Box all 179-E, Hamburg, PA 19526, telephone SO correspondence must be has information and windhandled through the mail. If, Mr. Zoon, you were production.

HARRISBURG - Of agricultural leaders had cials of the Agriculture recognized the problems facing Pennsylvania farmers and had agreed to work together to seek assistance at the state level.

Discussion at the two meetings centered on possibilities for programs which would be conducted at the state level, over and above current federal programs.

"While the emergency

programs of the USDA are important, most farmers are not eligible for insured loans at five percent interest. In many cases, farmers are able to save money, by applying for loans at their bank or other conventional source outside the USDA assistance program,' Hallowell said.

"A program on the state level might provide assistance to droughtstriken farmers by reimbursing them for a percentage of the actual losss. We don't need another lending agency and bureaucracy at the state level, but all segments of the farm community do want to see action which might lessen the economic blow from the drought,' Hallowell said.



anonymous on request.

Could you please discuss

Wool maggots, also known

as blowfly strike, fleece

worms, and Fligenlar-

looking at the windmills as a

wind to generate electricity,

Terrance A. Mehrkam, of

mills designed for energy

Energy

some recommendations for

the control of wool maggots?

Dr. Riegel comments:

A reader asks:

If you have a question you venkranheit, are caused by would like answered by the flies of the genus Phormis or team from Valley Animal genus Lucilia. Hospital, send it to Ask the

The flies lay eggs on an VMD, Box 366, Lititz, Pa. area of the sheeps body where the wool is wet or 17543. Questions will be kept .spoiled with feces, urine, wound exudates, or other body secretions.

The eggs hatch in 12 to 24 hours and develop into full grown larva in 3 to 6 days. These larva then feed on excretions from the skin which are produced by enzymes secreted by the maggots.

For the control of wool maggots, two regimes can be used. One is the elimination of the optimum place for the flies to lay their eggs, and second is the use of insecticides.

The most common area of the sheep to become spoiled is the breech, or buttocks area. Some of the things which cause this soiling are improperly docked tails, extra long wool (especially


in ewes around lambing time), and some of the Australian breeds have wrinkles in the skin of the breech area.

What can be done to control these situations? Make sure the length of the tail is such that the end is just below the tup of the vulva when docking is done. Clipping breech wool just prior to lambing. And, in breeds where wrinkly skin in the breech area is a problem, elimiate these wrinkles by a surgical procedure.

In areas where wool maggots are a serious problem, the use of insecticides should be employed.

Apply approved in-secticides in the breech region and over a strip 6 to 8 inches wide from rump to poll.

Consult your local veterinarian for the type of insecticide to use.



Farmers **\$\$\$\$ CUT THE HIGH** COST OF SPRAYING \$\$\$ Are you still paying off last summers spraying


bills? Did the sprayer get to your crop too late to be really effective?

Attention!!

ļ

NOW IS THE TIME to check on that custom built Sprayer YOU need for an economical ef-Re fective spraying operation. We zero in on the features you need for your job, Large or Small.


Ask About Our **HIGH-CONCENTRATE MISTBLOWERS** Why Pay More For Less?



Call Or Come In Today

You Are In Good Hands At -Lancaster County's Only Dealer Specializing in Sprayer Sales & Service

LESTER A. SINGER **RONKS, PA** PH: (717) 687-6712 Eves. & Sats. (717) 687-7116



SEE THE MUELLER NEW MODELS * 500MW * 600 MW

The "MW" is one of the Lowest pouring Height Bulk tanks. Check with us all the new features on the "MW" bulk tank. If you are in the market for a bulk milk cooler and you don't check all the advantages of the Mueller "OH" "MHL", and "MW" you may be buying an obsolete cooler.

