



1981 REVISED NATIONAL FLY CONTROL GUIDE FOR DAIRYMEN

WARNING! KEEP CHEMICAL AND DRUG RESIDUES OUT OF MILK AND MEAT

DO NOT DEVIATE FROM MANUFACTURER'S CONTROL RECOMMENDATIONS FOLLOW LABEL DIRECTIONS EXACTLY OBSERVE GENERAL SAFETY & ENVIRONMENTAL PRECAUTIONS FOR USE

TYPE OF USE	INSECTICIDE	TRADE NAME EXAMPLES	PRINCIPAL FLIES CONTROLLED	CHEMICAL CLASSIFICATION	SAFETY PRECAUTIONS
IN THE MILKHOUSE	Pyrethrin	Various	House & Stable	Pyrethrins	Do not use residual wall sprays. Cover all equipment before application.
IN THE MILKING BARN OR PARLOR	Pyrethrin	Various	House & Stable	Pyrethrins	Cover all equipment, water and feed before application
Space Sprays or Fogs	Dichlorvos	DDVP Vapona	House & Stable	Organophosphate	Do not use in milkroom. Remove all animals before spraying. No re-entry for at least 4 hours after spraying.
Residual Wall Sprays (Cover or remove water & feed before	Fenthion	Baytex	House & Stable	Organophosphate	Do not use in milkroom Remove all animals before spraying No re-entry for at least 4 hours after spraying
spraying)	Permethrint	Various	House & Stable	Synthetic Pyrethroid	Look for specific label instructions
	 Stirofos 	Rabon	House & Stable	Organophosphate	Do not use in milkroom Remove all animals before spraying. No re-entry for at least 4 hours after spraying
	Dichlorvos	Ravap	House & Stable	Organophosphate	Do not use in milkroom Remove all animals before spraying No re-entry for at least 4 hours after spraying.
	Ronnel	Korlan	House & Stable	Organophosphate	Do not use in milkroom. Remove all animals before spraying. No re-entry for at least 4 hours after spraying
ON YOUR COWS	Pyrethrin	Various	Face, Horn, House & Stable	Pyrethrin	Look for specific instructions on label.
			~		
	Dichlorvos	Vapona, DDVP	Horn, Face, House & Stable	Organophosphate	<u>Do Not</u> wet skin <u>Do Not</u> treat within day of slaughter <u>Do Not</u> apply dermally with Trichlorofon
	Crotoxyphos	Ciodrin	Face, Horn, House & Stable	Organophosphate	Do not apply crotoxyphos sprays more than one/week except as a mist spray.
	Crotoxyphos & Dichlorvos	Сючар	Face, Horn, House & Stable	Organophosphate	Look for specific instructions on label.
BACKRUBBERS (Suspend at a	Crotoxyphos	Ciodrin	Horn & Face	Organophosphate	Use in exits only of milking parlors or barns
height to prevent	Crotoxyphos &	Ciovap	Horn & Face	Organophosphate	
straddling)	Dichlorvos Coumaphos	Co-Ral	Horn & Face	Organophosphate	Do not apply coumaphos in
DUST BAGS	Coumaphos	Co-Ral	Horn & Face	Organophosphat e	conjunction with oral drenches or other internal medications such as phenothiazine, or with other organic phosphates. Do not use with synergized Pyrethrins, Allethrin or Synergist.
EAR TAGS	Fenualerate	Ectrin	Horn & Face	Synthetic Pyrethroid	Remove tags before slaughter. Bury or discard in a safe place all tags removed from animals.

					Wash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed and food stuffs.
					Look for specific instructions on label.
FEED THROUGH SUPPLEMENTS	Stirofos	Rabon	House, Face, Horn & Stable	Organophosphate	Observe precautionary statements on label.
	Methoprene	Altosid	Horn	Insect growth regulator	Look for specific instructions on label.
BAITS	Methomyl	Lannate	House	Carbamate	Use only as a supplement to proper sanitation, Keep away from feed
	Naled	Dibrom	House	Organophosphate	bunks. Follow label instructions.
	Dichlorvos	Vapona, DDVP	House	Organophosphate	
	Ronnel & Dichlorvos	Sugar Baits	House	Organophosphate	Look for specific directions on label

†Cautions: Check individual state registration status This product has been approved by EPA for use in some states

* The Environmental Protection Agency is in the process of classifying certain pesticides for <u>Restricted Use</u> only. A person applying such a product would have to be under the supervision of a certified applicator. See the reverse side of this guide for a list of active ingredients for which some or all products have been or may be restricted.