

Were refused. Secretary Scandrett investigated but found no lead to who set the fire in circulation. Mr. Scandrett has notified the police.

ROUGH ON THE PEOPLE.

Rapid Transit is Proving More than a Luxury to Southsiders—Unlucky Experience of One Car Yesterday—What the Men Say.

Accidents caused by the cars of the Birmingham Electric Line were numerous yesterday. Car No. 30 ran into a carriage owned by J. T. Johnson, containing four persons...

KIDNAPER OVER. AFTER DOUGHTY'S SCALP.

Citizens of the Sixteenth Ward Wonder Why He Does Not Serve His Sentence—His Physician Says the Workhouse Would Mean Death to Him.

There is considerable talk among the residents of Lawrenceville as to why Alexander Doughty is not serving his sentence. Nearly two years ago he was convicted with the Bender gang...

BACKERS OF THE STRAIGHT-OUTS.

Have Absolutely No Faith in the Present Party Leaders.

MAYOR GOURLEY REFUSES TO SERVE.

The straight-out Republicans met yesterday and decided they didn't want a meeting of the Republican County Committee called, but would go it alone and risk a election.

AFRAID OF ANOTHER MEETING.

Mr. Boardman opposed Mr. Kennedy's idea that if another meeting of the committee were called they would come out of it like whipped dogs...

WANT A CONVENTION OF THEIR OWN.

Will not consent to any application and said they would only place themselves in the hands of the parties who stole the franchise and give them a chance to confirm the same.

TWO OPEN AIR PERFORMANCES.

Midsummer Night's Dream and As You Like It to Be Given Next Week.

MUST STOP AT CROSSINGS.

The Coroner's Jury Censures Tractor Conductors for Letting People Off Between Squares—The Death of Miss Schmitter Decided Accidental.

BLEW OUT HIS BRAINS.

RICHARD RUTKAMP COMITS SUICIDE BECAUSE HE CANNOT WORK.

HIS FRIENDS CANNOT FIND HIM.

SMALL SCRAPE OF CITY NEWS.

WILL AWAIT DEVELOPMENTS.

PREPARING FOR THE CONVENTION.

LIMBS CRUSHED.

TWO MEN HAVE FEET SMASHED BY HEAVY WEIGHTS FALLING ON THEM.

DELAMATER GUARDS DELEGATES.

MINOR POLICE NOTES.

ENOUGH TIN PLATE WORKERS HERE.

An Extension of Time Granted to Moorhead Bros. & Co's Employees.

MISCELLANEOUS INDUSTRIAL NEWS.

The Amalgamated Association has withdrawn to the fact that strong opposition is aimed at it from new quarters.

SWINDLED ITALIANS.

They Lost Many Thousands of Dollars by Confiding in a Countryman.

OPERATORS WANT FOREIGN WORKMEN.

Tin plate manufacturers, and particularly Mr. Neidringhaus, cling to the idea that American workmen are incompetent and slow.

TRIED HARD TO ESCAPE.

B. F. May Escaped From Patrolmen, but Is Now Being Laid in Central.

A FINE HOTEL WANTED.

People Said to Shake Pittsburgh for New York and Chicago.

WILL NOT BUZZY THEM.

The Time For a Final Reply From the Vesuvius Men Extended.

TWO DEATHS INSIDE AN HOUR.

Two deaths occurring in one family but a few hours apart, were noted to the Bureau of Health yesterday.

John Dufek, a sewer contractor, was lodged in jail last night charged before Alderman McMaster with assault on the peace.

John Dufek, a sewer contractor, was lodged in jail last night charged before Alderman McMaster with assault on the peace.

A 14-year-old child of Mrs. Lulu Wilson died in his mother's arms yesterday afternoon.

P. A. HERRON, arrested as a suspicious person, was given 30 days to the workhouse yesterday.

Three men had crushed limbs yesterday. The list of accidents is small and follows:

Ernest Markez, a resident of Jack's Run, accused August Messner, a resident of Cass avenue, yesterday with assault, making the allegation that the defendant tried to induce the prosecutor's wife to buy poison.

Ernest Markez, a resident of Jack's Run, accused August Messner, a resident of Cass avenue, yesterday with assault, making the allegation that the defendant tried to induce the prosecutor's wife to buy poison.

Ernest Markez, a resident of Jack's Run, accused August Messner, a resident of Cass avenue, yesterday with assault, making the allegation that the defendant tried to induce the prosecutor's wife to buy poison.

Ernest Markez, a resident of Jack's Run, accused August Messner, a resident of Cass avenue, yesterday with assault, making the allegation that the defendant tried to induce the prosecutor's wife to buy poison.

Ernest Markez, a resident of Jack's Run, accused August Messner, a resident of Cass avenue, yesterday with assault, making the allegation that the defendant tried to induce the prosecutor's wife to buy poison.

Ernest Markez, a resident of Jack's Run, accused August Messner, a resident of Cass avenue, yesterday with assault, making the allegation that the defendant tried to induce the prosecutor's wife to buy poison.

Ernest Markez, a resident of Jack's Run, accused August Messner, a resident of Cass avenue, yesterday with assault, making the allegation that the defendant tried to induce the prosecutor's wife to buy poison.

RIVAL CLAIMANTS FOR LAND.

Dr. Sutton Files a Suit in Equity Against Captain Morgan, J. E. Glass and Otto Prescott in Relation to an Option.

DEAD UNDER DEBRIS.

Three Men Killed and Several Badly Injured at Elba Works While Erecting a New Iron Roof.

The Building Collapsed Without Warning, Burying the Workers.

UNDER A WEIGHT OF HEAVY GIRDERS. Three men were killed and five injured at the Elba Iron Works, Frankstown, yesterday morning, by the collapse of an iron roof in course of construction by Ritter & Conley.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

DEAD UNDER DEBRIS.

Three Men Killed and Several Badly Injured at Elba Works While Erecting a New Iron Roof.

The Building Collapsed Without Warning, Burying the Workers.

UNDER A WEIGHT OF HEAVY GIRDERS. Three men were killed and five injured at the Elba Iron Works, Frankstown, yesterday morning, by the collapse of an iron roof in course of construction by Ritter & Conley.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

DEAD UNDER DEBRIS.

Three Men Killed and Several Badly Injured at Elba Works While Erecting a New Iron Roof.

The Building Collapsed Without Warning, Burying the Workers.

UNDER A WEIGHT OF HEAVY GIRDERS. Three men were killed and five injured at the Elba Iron Works, Frankstown, yesterday morning, by the collapse of an iron roof in course of construction by Ritter & Conley.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

DEAD UNDER DEBRIS.

Three Men Killed and Several Badly Injured at Elba Works While Erecting a New Iron Roof.

The Building Collapsed Without Warning, Burying the Workers.

UNDER A WEIGHT OF HEAVY GIRDERS. Three men were killed and five injured at the Elba Iron Works, Frankstown, yesterday morning, by the collapse of an iron roof in course of construction by Ritter & Conley.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

CAUSE OF THE DESTRUCTION. The two of the girders spanning the building, at a height of 22 feet from the ground, had been erected and a third had been swung up in two sections to the proper level.

JOS. HORNE & CO'S. H. W. Hartman went to Chicago last evening. He says it is the intention of the Baltimore and Ohio road to run the line through Pittsburgh to Chicago about September 1. The train will stop at the Ellwood and New Castle Junction. The New Castle branch is not finished, and has been the cause of the delay.

JOS. HORNE & CO'S. HUNGARIAN, Italian, 40 years, residence unknown. HUNGARIAN, laborer, name and residence unknown. HUNGARIAN, laborer, 30 years, name and residence unknown. GEORGE LEMOX, bridge builder, 24 years old, resided at 35 Franklin street. Was conveyed to the Homeopathic Hospital, and discharged during the afternoon. FRANK SCHEIDT, 25 years old, no residence. Was conveyed to the Homeopathic Hospital, and will recover. J. CORN, Hungarian laborer, was not much injured and carried back home.

A Midsummer Clearance Sale of Lace Curtains. Prices, regardless of cost, have been reduced just one-third. NOTTINGHAMS, 50c up to \$8 a pair. IRISH POINTS, \$4 up to \$15 a pair. CLUNYS, \$5 up to \$15 a pair. LOUIS XIV. LACE, \$8, \$10 and \$11 a pair. GAUZE LENO LACE, At \$12—were \$17.

Also a great variety of one and two-pair lots in lace curtains at half price. PORTIERS, 50 single pairs. Fine quality chenille portieres that are down to one pair of a color, the choicest, therefore, of the season's goods, are reduced as follows: From \$8 to \$6. From \$10 to \$7. From \$15 to \$10. From \$19 to \$12.

Very low prices on tapestry and chenille table covers: Yard square now 75c each. Yard and a half square now \$1. Printed curtain silks, choice designs and colors, \$1 quality now 95c a yard.

SPECIAL: We call attention to the fact that our customers can anticipate