

Patton Courier.

PATTON PUBLISHING CO., Proprietors.

THURSDAY, FEBRUARY 1, 1894.

Tune—"The Old Oaken Bucket."
How dear to our hearts is
Cash on subscription,
When the generous subscriber
Presents it to us;
But the man who don't pay—
We refrain from discussion
For perhaps, gentle reader,
That man might be you.

—Ex.

L. S. Bell is at the county seat this week.

Read the Pittsburg evening and Sunday Press.

E. E. Williams, of Souman, was in town Monday.

A. J. Graham, of Phillipsburg, spent Friday in Patton.

Harvey Patterson took a trip to Ebensburg Monday.

Bruce Graham, of Harrisburg, spent Saturday in Patton.

Go to John Boyce's billiard parlor for a good cigar. 612

Old newspapers for sale at this office at ten cents a bundle.

A. P. Stevens, and wife, of Ramey, Pa., spent Sunday in Patton.

Read the Philadelphia Times "ad" in another column of the COURIER.

A. Wolf, of Jersey Shore, registered at the Robinson house Thursday.

C. H. Harris, of Johnstown, registered at the Commercial last Friday.

C. W. Hodgkins, the druggist, is in Philadelphia this week on business.

W. H. Smith, of Jersey Shore, registered at the Robinson house Monday.

Mrs. S. M. Wilson, of the Commercial, spent Saturday at Glen Campbell.

Good overcoats for boys, nobly with cape, \$1.50 at the Patton Clothing Store.

Dr. H. Summerville and Sam'l Kelly, drove over from Chest Springs Monday.

Mrs. Clara Worts, of Lumber City, visited her parents at this place last week.

Geo. Kinkhead, an insurance man of Ebensburg, spent Saturday in Patton.

A large crowd of young folks attended a dance at St. Augustine Saturday night.

J. Mirkin, of Altoona, visited his brother, A. Mirkin, the clothier, last Thursday.

R. F. McGee, of La Jose, was a guest of Grier Hill, the clerk at the Commercial last week.

Go to the Kinkhead restaurant and get a fine oyster stew. Oysters served in every style. 617

Mrs. Evans, who had her right arm broken some time ago has taken the splints off and is again able to attend to household duties.

Jas. Wilson has purchased a town lot on the lower end of Beach avenue and expects to erect a dwelling as soon as the weather permits.

Mr. H. J. Boyer, the COURIER solicitor, was at Ashville this county, Friday and Saturday, and added quite a number of subscribers to our list.

Mr. Callen, who had one of his ribs broken some time ago is again able to attend to his work. Mr. Callen is an employe at the Ashcroft mine.

Wolf & Thompson, the clothiers, expect to occupy the store room in the Good building next to Geo. S. Good's store on or about March first.

A Mr. Yinglin, of Wankasha, Clearfield county, accompanied by his brother, were in Patton Saturday looking for a location to open up a general store.

David Holt, an extensive coal operator, of Phillipsburg, spent Saturday in our enterprising town. Mr. Holt is interested in mining at both Hastings and Spangler.

A dance will be given at Carrolltown this evening for the benefit of the firemen at that place. Quite a number from Patton will attend. The Patton orchestra will furnish the music.

L. R. Snyder, proprietor, of the Railroad restaurant, on Fifth avenue, below the hotel, has an advertisement in another column of this paper. He makes a specialty of shell oysters.

Geo. S. Good and L. M. Patterson, of Lock Haven, A. G. Palmer, of Jersey Shore and A. E. Patton, of Curwensville, were in Patton last Thursday looking after their business interests.

Tyrone has a young man named Scott Watson, aged 16 years and 8 months, who tips the scales at 274 pounds. His height is 5 feet 2 inches, his neck girths 19 inches, his breast measures 52 inches and his waist 6 feet.

—Ex.

Last Wednesday night an attempt was made to burglarize the jewelry store of Mr. Smith at Gallatin, but the robbers were discovered in time to prevent their going any further than breaking the transom. The thieves made good their escape.

Everybody should read the Pittsburg Press. It is one of the most popular evening papers published in that city, and affords the highest class of reading for both old and young. The Pittsburg Press is the leading Sunday paper of Western Pennsylvania.

P. J. Hertzog, of Hastings, spent Friday in Patton.

D. C. Dale made a business trip to Hastings Monday.

For fine boots and shoes go to the Patton Clothing Store.

The Carrolltown letter came too late to publish it in full.

Chas. E. Patton, of Curwensville, spent Wednesday in Patton.

Notice A. M. Thomas' advertisement in another column of this paper.

S. S. Wetzel, of Marion Centre, was a guest at the Commercial last Thursday.

Wm. Mariett, of Peach Orchard, registered at the Hotel Beck Monday.

Rev. Wasson, of Hastings, preached at the M. E. services Sunday morning.

Notice the change in the advertisement of Dr. M. F. Phillippi this week.

Look for Lewis McNeel's advertisement in another column of the COURIER.

Single copies of the COURIER can be purchased at this office for five cents apiece.

R. L. Deekenmiller, representing a piano firm of Johnstown, is in Patton on business.

M. M. Crain, the plasterer, and contractor, has a new advertisement in the COURIER. Just notice it.

Henry Stickman, paymaster for Jas. Gatehouse at Chesterfield, Pa., was in Patton Monday on business.

A. Friedman, of Austin, Pa., a clothier who expects to open a store in Patton soon, is stopping in town.

Try Magic drops for pain, internal and external. Guaranteed by C. W. Hodgkins, druggist, Patton, Pa.-tf

Chas. Miller, the pianist, who has been suffering from a severe attack of rheumatism is able to be around again.

J. Reece Pantall, of Punxsutawney, came over to Patton Tuesday Mr. Pantall was a guest at the Commercial.

Reuben McPherson, general manager for George S. Good, spent last Friday and Saturday with his family in Clearfield.

Representative J. J. Thomas was in town Wednesday. He was considerably surprised at the magnificence of the Palmer house.

Mrs. Maggie Redding and son Wesley, of DuBois, are visiting the former's parents, Mr. and Mrs. S. M. Wilson, this week.

Invitations have been issued for a poverty social which will be given in the Patton opera house Friday evening, February 2nd.

The COURIER has been informed that a clothing firm will occupy the store room next to the First National bank in the Good building.

A tailor shop will be opened up soon by an Altoona party in one-half of the restaurant room in the building next to John Boyce's billiard room.

Miss Bert Morgan, of Pittsburg, daughter of J. L. Morgan Esq., of Clearfield, will locate in Patton next week. Miss Morgan is a teacher of music.

The smoke house belonging to Thos. Thomas at Howard burned down Friday. There was in it 1,500 pounds of meat, all of which was burned.—Phillipsburg Journal.

Thomas Mitchell, of Reynoldsville, was in town Wednesday examining into the future prospects of Patton, with a view of starting a merchant tailoring establishment in the near future.

The COURIER clips the following from the Curwensville Review: "Patton, Cambria county, wants a \$10,000 school building and will vote on the question of issuing bonds to that amount at the February election. Patton is a gusher with no dry wells."

Marriage Licenses for Cambria.

Ben F. Wolford and Ida Marsh Johnstown.

Henry Smith and Mary Kelly, Johnstown.

O. M. Hill and Mollie Baker Johnstown.

Matthew Miller and Avilla Austin, Carrolltown.

John C. Sanker and Mary Burk, South Fork.

Lawrence Weimer and Helena Noel, Carroll township.

Geo. Pantk and Mary Powe Knavi, Hastings.

Frank Hessel and Kate Slick, Johnstown.

Milo Patus and Susan Koffman, Pennsylvania.

Michael Niebour, Chest and Philomina Kritzer, Carroll.

A Painful Wound.

Jas. Reilly, of Clearfield, township is lying very low at his home near town with an abscess in his side. Mr. Reilly was a veteran in the late war and while at his post was struck by a bullet penetrating his side causing untold suffering at times, ever since. It appears the bullet has lodged in his body. Dr. Summerville, of Chest Springs is attending him.

Swedish Lutherans.

Divine Services in Sunday school room next to Good building, Tuesday February 6th at 7.30 P. M. All that understand the Swedish language are cordially invited to attend.

J. N. ALKXIS, Lutheran Pastor.

Alexander D. Dunsmore, of Phillipsburg, superintendent for the Bloomington Mining Company and the Patton Coal Company, is in Patton this week on business.

A special car containing the general freight officials of the Beech Creek railroad passed through Patton Monday afternoon. The car came through from Williamsport bound for Crescon.

Jesse E. Dale and Harvey Patterson, of the insurance firm of Dale & Patterson, of this place, were at Ebensburg on Monday attending a meeting of the Northern Cambria Underwriters' Association, which meets every month for the purpose of adjusting insurance rates, and any other business that is essential to first-class insurance.

The reason why so many die with throat and lung disease, is because they neglect to doctor the symptoms in the first stages. If you have a cold or cough stop it, every time you cough irritates the affected parts and opens wider the passage for the disease to spread. Cribbs German Cough Syrup, discovered by a famous German physician, will stop the cough and cure the affected parts and will do it quickly. A ten cent sample bottle of Cribbs' Liver Pills free with each bottle. For sale by C. W. Hodgkins.

CHEST SPRINGS, January 30, 1893.

A social was held in the hall at this place on Monday night of last week. About fifty couple were present. All enjoyed themselves until the morning hours. Dancing was the principle amusement.

G. E. Hipps, principal of our schools, was home on a visit Saturday and Sunday.

M. J. Cramer left yesterday for Pittsburg to attend the West Penn Medical College. Mr. Cramer is a bright and energetic young man and we predict for him a bright future.

The young ladies are contemplating a string social for Wednesday night.

The prospects for the Justand Fair on Saturday are very promising at present. The committee are making arrangements for a large attendance. If you wish a good time, come to Chest Springs.

CARROLLTOWN, Jan. 31, 1894.

The following officers were nominated Friday last on the 'Peoples' party ticket: Burgess, Alex. Grier, conner, J. J. Hawk, John Burns, school directors, Dr. Jno E. Moucher, Peter Campbell, assist. asrs, Steven Campbell, Dr. G. H. Sloan; tax collector, J. V. Maucher; inspector, Mat Behr; judge of election, Frank Burns; auditor, P. L. Eckinwood.

Fresh oysters every day at the Boreks.

It is the opinion of some of the viewers that to make a good job of it the bridge should be taken down and put up again in a proper manner. The contractors were Nelson & Buchanan, of Chambersburg, Pa. They are not builders, but take contracts and have the iron made by Pittsburg parties. The defects in the Glen Campbell bridge appear to be in the manner in which it was put together.—Indiana Messenger.

The Glen Campbell Bridge Condemned.

The new iron bridge across Cush creek, at Glen Campbell, has been condemned by the viewers appointed to take it off the hands of the contractors. The court appointed as viewers, Liam Moorhead, Wm. Smith, Wm. Strickland, David A. Gorman, Henry Barkey, and Byron Keim. The viewers met at the bridge in December and proceeded to the performance of their duties. They found that the structure did not come up to the requirements of the specifications and were about to report accordingly, when the builders asked for another examination, and they would in the meantime send their men out and make the changes suggested by the viewers. This arrangement was consented to and the bridge was overhauled. The viewers again visited the bridge on January 18, and the following is their report:

"After being duly sworn we went to and upon the bridge and inspected the masonry and iron work of said structure. We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The bridge is not in alignment; the bolts do not all fit the holes made for them; the lateral rods are loose, and altogether the bridge is very loosely put together. The floor does not all consist of No. 1 white oak, as called for in the specifications. We therefore condemn the bridge structure as not suitable for a county bridge."

"We found the masonry according to the plans and specifications and built in a workmanlike manner. The iron work of the bridge we condemn on account of it not being built in a workmanlike manner. The