## Supplemental Highway Symbol Signs






RIGHT CURVE








Harrisburg, Nov. 15-The Pennsyl- | presence of a road intersection on a vania Department of Highways has, curve. As explained by Secretary with the approval of Governor Pinchot, adopted additional symbol signs propriate curve symbol intersected by to supplement its new standard of a straight line. In case the intersectwarning characters to apprize motorists of the presence of hazards. These the highway on which the motorist is signs, conveying information of road traveling, the straight line will be intersections on curves, will permit shown on only one side of the curve, one symbol to serve for two where this condition is presented.

Secretary Samuel S. Lewis states Motorists are cautioned that the that the symbol signs already erected combination symbol may not always on all main State highways are re- designate the exact location of the inceiving the enthusiastic endorsement tersection on the curve. In some cases of motorists generally. The symbol there may be two or more intersecting conveys at a glance the nature of the roads on the same curve. A symbol hazard being approached. The most designed to show each intersection important improvement suggested by with its exact location would be more the experimental installations was confusing than helpful, and besides some means of eliminating one of the would require a specially prepared two signs, one indicating a curve and sign for each situation, so the conventhe other an interesting or connecting tional symbol will be employed inroad, required where these conditions stead in all cases. The only safe rule existed in combination. Accordingly, for motorists, the Secretary states, is the Department has developed the to proceed with caution entirely series of combination signs each of through the curve where any combinwhich reveals in a single symbol the ation symbol sign is displayed.





#### Better Breakfasts

Well, do we always have to serve bacon or eggs for breakfast? If you belong to the followers of the better breakfast campaign, you will enjoy one breakfast a week that omits these together one cup flour, one-eight

Vary Your Menus

riety in foods, more baked dishes greased tin. - Drain thoroughly and sustaining menus. Try baked the crushed pineapple from an 8


WHAT! No bacon nor eggs? Baked Prunes with Lemon Peel Boiled or Steamed Rice with Grated Maple Sugar Pineapple Breakfast Cake

Pineapple Breakfast Cake: Sift sugar. Cut or rub in three table spoons shortening. Add one we Winter appetites demand vawinter appetites appetite ap fruits for a change, and hot break-fast cakes are also delicious.

The following menu suggests a different way with breakfast fruit, tablespoons butter. Bake in a hot an innovation in cereal, and a very delicious breakfast cake instead of twenty minutes. Serve hof This serves from four to six persons.\*

# How to Reduce Heating Costs ( by JOHN BARCLAY,

Heating Expert



The main complaint with most people is that when the fire is banked at night there is not suf-ficient heat available in the morning. This can be very easily overcome. When you are getting ready to retire for the night, gently shake your fire until you can see the first red glow in the ashpit. (It is not necessary to open the ashpit door in order to see this. When the glow appears it can be seen through the crevices around the

slide in ashpit door.) When you see this first red glow, stop shaking the furnace. Then with your hoe, or shovel, pull the live coals forward toward the feed door. You will then have a bed of fire sloping down from the feed door to the back of your furnace.

Into this hollow, feed fresh coal . . but do not cover up the live coals immediately in front of the feed door. This "hot spot" should be allowed to remain so that it will act as a pilot light for the gases arising from the fresh coal. One thing that is important in this connection is this: Never bank your fire with anything but fresh coal. The old time practice of banking a fire with cinders and ashes will not only cause unsatisfactory heat, but it will cause you no end

My previous articles on the proper position of the dampers apply during the banking period.

The check damper should be open, the ashpit damper closed. The turn damper, of course, should remain

in the same position as usual. If your dampers are open too wide, the fuel will burn too fast during the early part of the bank-ing period, and there will not be sufficient fuel left in the furnace

If the dampers are not open far enough, the fuel will not receive sufficient air to maintain the proper temperature. If you burn coal that is too large, even if your dampers are closed, more air than is necessary will pass through your fuel bed and will burn up the coal with the result that you will be wasting heat up the chimney and have insufficient heat in your house.

If you follow these instructions, use the right size of coal, put on a sufficient charge of coal, and keep your dampers set in the proper positions, you will have plenty of heat in the morning.

ANSWERS TO QUESTIONS

Mrs. R. V. M., Troy, N. Y.—Air circulation above the basement is very important, and in order to heat the different rooms the doors should be left open as much as possible. The cold air which is formed should be allowed to find its way back to the heater. This is done by placing cold air returns at those locations where there are extra large windows or a group of windows together. One location would be at the bay window in the front

The cold air from the second floor must be allowed to descend the stairs. In the hall on the first floor another cold air return can be located. These returns are connected to the heater the same as described for the present cold air inlet. Cold air returns for inside air do not need flat dampers, but a slide damper should be installed in the present cold air return, to shut it off completely.

(If you have any heating problems address John Barclay, Room 1814, 120 Broadway, New York City. He will be glad to reply in a personal letter.)





Instant response ... no costly grinding of the starter.



# in **ANTI-KNOCK**

Has the same antiknock fluid formerly used only in premiumpriced gasolines.

## in POWER

Reserve power for the hills . . . flashing pickup for the straightaway.

# In **ECONOMY**

Super-performance ... maximum mileage . . at no extra cost.



# ATLANTIC

#### HEALTH TALK

WRITTEN BY DR. THEODORE B. APPEL, SECRETARY OF HEALTH

"Despite repeated warnings, many persons continue to lose their lives through asphyxiation. As with other accidents, carelessness is back of most of such premature deaths. Manufacturers of gas heating appliances have been interested in developing mechanisms wherein, so far as the contrivance itself is concerned, it is accident proof. Thoughtless persons who have untoward or fatal experience with gas apparently fail to realize that while the heater itself may be fundamentally perfect, all appliances suffer more or less from wear and tear and in time need part replacements," states Dr. Theodore B. Appel, Secretary of Health.

"Manufacturers of such heaters are careful to warn users of them as to the proper method of handling them and of the necessity of keeping them in good condition. Such appliances are perfectly safe to use. Hundreds of thousands are daily on the job. But this fact is little solace to one who nearly or altogether loses his life because he foolishly concluded that such things were so constructed as to go on

forever without attention. "A number of deaths from this caus were recently investigated by the department of Health. In every instance the record revealed that the inexcusable carelessness of the operator was entirely to blame. In one case it was a leaky gas pipe, in another a worn out valve, and still another a deteriorated hose connection, and so the

tory went. "Safe performance of gas heating appliances that have been subjected to the use includes a check-up on its parts, as well as free circulation of air in the room. Proper combustion cannot occur in a sealed-tight or near sealed-tight room. Carbon monoxide results. And in traceable quantities this deadly poison produces headches. In appreciable quantities, as is

well known, it kills. "Users of gas heaters would be wise to have them properly checked. If done, the least result will be better





service, and the maximum result con- and prompt replacement of worn out ceivably would be the saving of a life or damaged parts could eliminate gas or lives. Indeed, reasonable inspection heater accidents and death."

## To All Who Suffer Stomach Agony, Gas and Indigestion

Money Back If One Bottle of Dare's Mentha Pepsin Doesn't Do You More Good Than Anything You Ever Used.

Why bother with slow actors when one tablespoonful of this splendid and pleasant liquid remedy will cause gas, bloating, heaviness, heartburn or any upset condition of the stomach to speedily vanish.

And why should any man or woman suffer another hour with indigestion or any stomach misery when the remedy that acts almost instantly can be easily procured?

But there is more to say about this remarkable remedy—something that will interest thousands of despondent people.

Far Cheaper Than You Can Build

## VERY MODERN HOME

On an 80-foot front lot, house has 8-rooms and bath, slate roof, large porch, hot water heat, oil burner, hot and cold cellar, all cemented, possession any time. This is one of the best built homes in Mount Joy. Only reason for selling, but one person in the family. I will cheerfully show this property. No. 442.

### Modern 7-Room House

On a 60-foot lot, corner, bath, oil burner, slate roof; house recently painted and papered. 2-Car Garage, poultry house, fruit, etc. Come and inspect.

# JNO. E. SCHROLL, Realtor

MOUNT JOY, PENNA.

\$ 1.00 PER MONTH MEANS \$ 200.00 SAVED

\$ 5.00 PER MONTH MEANS \$1,000.00 SAVED \$10.00 PER MONTH MEANS \$2,000.00 SAVED

#### INSIDE OF TWELVE YEARS WE CHALLENGE A COMPARISON

Can any place be found, or any security be purchased on a de-posit of one dollar per month where the factor of safety is so great and the yield is so high. No better way can be devised for raising from future income a certain fund in a definite period of time.

TWELFTH SERIES NOW OPEN

## MOUNT JOY BUILDING & LOAN ASSO.

Jno. E. Schroll, Pres.

E. M. Bomberger, Sec. R. Fellenbaum, Treas.

Henry G. Carpenter, V. Pres. DIRECTORS Jno. E. Schroll Grant D. Gerberich R. Fellenbaum Henry G. Carpenter J. Willis Freed J. N. Hershey

Henry H. Eby Dr. E. W. Newcomer Christian Walters

Under supervision of State Banking Department